


IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: August 2016

Void After: August 2017

Product: Air Admittance Valves

File No. C-3591

Issued To: Ayrlett Llc.
P. O. Box 3191
Nampa, ID 83653

Identification: Manufacturer's name or trademark, model designation, and the cC/IAPMO® triangular certification mark.

Characteristics: Air admittance valves designed to permit air to enter the drainage system when the pressure within the system drops below atmospheric pressure. To be installed in accordance with the manufacturer's instructions. The device shall be installed in an accessible location which shall permit free (unobstructed) movement of air into the device. The device shall be installed in a vertical and upright orientation not to exceed 15 degrees from the vertical plumb.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard(s):

ASSE 1051-2009
NSF/ANSI 14-2015


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.
CERTIFICATE OF LISTING



Page 2

Void After: August 2017

Product: Air Admittance Valves

File No. C-3591

Issued To: Ayrlett Llc.

IAPMO RESEARCH AND TESTING, INC.
CERTIFICATE OF LISTING



Page 3

Void After: August 2017

Product: Air Admittance Valves

File No. C-3591

Issued To: Ayrlett Llc.

MODELS:

Model No.

A-55
A6-AXP
A6-T
AB-DWV-ABS
AB-DWV-PVC
AT-500
P-50
P6-AXP
P6-T
PT-300